Work	Orde	r ID	4814	5
7 7 W I I	VI UC		7017	

Page 1

Friday, June 26, 2009 9:17:31 AM

Item ID:

D3117-1

Accept

Setup Start

Stop



Revision ID: **Item Name:**

Required Date: 8/3/2009

C Seal Retainer

7/15/2009

Start Qty: 500.00 Reg'd Oty: 500.00

Cust Item ID:

Customer:

Reference:

Approvals:

Start Date:

Process Plan:

Revision Nbr

Date: Tooling:

Date:

Start Run

QC:

Date:___

SPC (Y/N):

Date:

Stop

Sequence ID/ Work Center ID **Draw Nbr**

Operation Description Set Up/ **Run Hours** Draw Number Draw Rev.

Plan Accept Code **Qty**

Reject Qty

Reject Number

Insp. Stamp

D3117 Rev C

100

PURCHASING

0.00

See ALLINCLED W/O

Purchasing

Purchasing

0.00

Issue P/O: 28 → □D3117-1 Seal as per Dwg D3117□Possible Supplier: VIP RubberReplace Premier□P/N: B45-43000-01□Material release note required

110

120

Packaging

Receive & Inspect for Damage & Mat'l Certs

0.00

Memo

Packaging

Ensure Material Release Note is attached

0.00

QC6- Inspect dimensions to drawing

0.00

Memo

0,00 => Soslasts (500ft)

/ 4/7/15 500

Quality Control

Check dims to dwg and certification attached

Work Order ID 48145 Friday, June 26, 2009 9:17:31 AM



Page 2

Item ID:

D3117-1 Accept Setup Start



Revision ID: Item Name:

 \mathbf{C}

Required Date: 8/3/2009

Seal Retainer

Stop

Start Date:

7/15/2009

Start Qty: 500.00 Req'd Qty: 500.00

Cust Item ID:

Customer:

Draw

Number

Reference:

QC:

Process Plan:

Date: _____

Tooling:

Date:

Run Start

Approvals:

Date: _____

SPC (Y/N):

Date:

Draw

Rev.

Stop

Sequence ID/ **Work Center ID**

130

Packaging

Operation **Description**

Identify as per dwg & Stock Location. 406

Memo

Memo

Set Up/ **Run Hours**

0.00

0.00

Accept

Qty

Plan

Code

Reject Qty

Reject Number

Insp. Stamp

Packaging

140

QC Quality Control

QC21- Final Inspection - Work Order Release

0.00

0.00

N 39.07.17

Picklist Print

Friday, June 26, 2009 9:17:31 AM

Work Order ID: 48145

Parent Item: D3117-1RevC

Parent Item Name: Seal Retainer

Comments:



Start Date: 7/15/2009

Start Qty: 500.00

Required Date: 8/3/2009

Page 1

Required Qty: 500.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D3117-1PRevC		Purchased	No			110	Each	0.0000	500.0000			

Seal Retainer

Qty:

500 Um:

Each

Friday, 22/05/2009 2:26:34 PM

User:

Chantal Lavoie

Process Sheet

Drawing Name

Part Number

Material Due Date

Drawing Number

Project Number

Drawing Revision

: SEAL

: D31171

: N/A

: C

. D3117 REV C

: 17/06/2009

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

Job Number : 48145

Estimate Number : 10558

P.O. Number

: 22/05/2009 This Issue

Prsht Rev. : NC

: // First Issue : 47474

Previous Run

Written By

Comment

Checked & Approved By

Type

: PURCHASED PARTS

New Issue NG : Est. A 02.05.15

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

CL09/05/22

1.0



Comment: PURCHASING

Issue P/O: <u>\$8</u>43

D3117-1 Seal as per Dwg D3117

Possible Supplier: VIP RubberReplace Premier

P/N: B45-43000-01

Material release note required

2.0 D31171P Seal Retainer

PURCHASING



Comment: Qty.:

1.0000 f(s)/Unit Total: 500.0000 f(s)

SEAL

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Recieive & Inspect for Transit Damage Ensure Material Release Note is attached

4.0

3.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK



Inspect Level 6 Check dims to dwg and certification attached.

5.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:





Dart	Aeros	pace	Ltd
------	--------------	------	-----

	•								
W/O:			WO	RK ORDER CHANGI	ES				
DATE	STEP	PR	PROCEDURE CHANGE					Approval Chief Eng / Prod Mgr	Approval QC Inspector
			V 4						
Part No	:	PAR #:	Fault Categ	ory:	NCR: Yes	No DQ	A :	_ Date: _	
	Res	solution:	Disposition	:	QA: N/C CI	osed:		Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCF	()			
DATE	STEP	Description of NC		Corrective Action Section		Verific	cation	Approval	Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date		ion C	Chief Eng	QC Inspector
.,,44									

NOTE: Date & initial all entries

Date: User: Friday, 22/05/2009 2:26:34 PM

Chantal Lavoie

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SEAL

Job Number: 48145

Part Number: D31171

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion





Dart Aerospa	ace Ltd	
--------------	---------	--


W/O:			WC	RK ORDER CHANC	GES		·		
DATE	STEP	PRO	OCEDURE CHAI	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								-	
Part No		DAD #.	Fault Oats		Non V	N 50			
rait NO		PAR #:							
	ne	esolution:						Date:	
NCR:		<u> </u>	WORK ORDE	ER NON-CONFORM	ANCE (NC	R)			
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Sec Action Description Chief Eng	tion B Sign Dat	& Secti	cation on C	Approval Chief Eng	Approval QC Inspector
								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

NOTE: Date & initial all entries



DESIG	n DS	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHEC	(ED)	APPROVED	DRAWING NO. F	REV. OF	
DATE			TITLE	SCAL	Æ
05.1	0.03		SEAL	1	:1
Α		02.04.15	NEW ISSUE		
В		04.10.18	UPDATES NOTES		****


50 DUROMETER WAS 60 DUROMETER



05.10.03

D3117-3-XXXX SEAL FILLER

REPLACES PREMIER P/N B45-43000-03



D3117-1-XXXX SEAL RETAINER

REPLACES PREMIER P/N B45-43000-01

NOTES

- 1) -XXXXX = LENGTH IN INCHES (EG.10" LONG = -0100, 87.5" LONG = -0875)
- 2) MATERIAL: BLACK RUBBER 50 DUROMETER (HARDNESS) NEOPRENE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Vip Rubber Company

EXTRUDED AND MOLDED RUBBER • EXTRUDED PLASTIC

540 S. CYPRESS STREET, LA HARRA CA (310) 905-3458 · (800) 722-4VIP Fax: (310) 905-3460 RE-7107-189"-0156 SHIPPER NO. P000008843 DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY ONTARIO, CANADA K6A1K7 613-632-9577 #1290 PART NO./DESCRIPTION P/N D3117-1 REV C RETAINER 500 FT 500 FT P/N D3117-3 REV C FILLER (DWG. #D3117 REV C) 50/NEOPRENE FORMULATED TO MEET THE FLAME RESISTANCE TEST OF FAR 25.853a LOT # ...

CERTIFICATION OF COMPLIANCE

80**6**46

THIS IS TO CERTIFY THAT
THE MATERIAL FURNISHED
ON THIS PURCHASE ORDER
WAS MADE IN STRICT
CONFORMANCE WITH THE
NOTED SPECIFICATION.

By MARTIN PEREZ
TECHNICAL DIRECTOR

VIP RUBBER COMPANY

Solvalis

DATE SHIPPED 7/9/09
OTY. SHIPPED 500 PT.

4:



VIP Rubber Company, Inc.

540 S. Cypress La Habra, Ca. 90631

FINAL INSPECTION REPORT

			n I trà		% Purc	hase Ord	er#	. POOO	008843		
stome	r Dart A	erospac	e Lu.	-1 &-3 (Filler &	20.00	H 102	i	Day	ision	C	
rt Nun	nber/Dwg	g. Num	per DSII/	-1 &-3 (Filler & 19314)		CA	Rubi	ber 4.0 / (C=0; Plast	ic 6.5 / C	=0
		<u>77 </u>	LOT #	17577	Sam	pie Size					
t Size		3 00	PI JO	OF F	ensions Mea	sured					
			- ara l	Dina		T					
m.	.418		.750			- †					
1.+/-	.051		.063		1.		<u> </u>				
ange	0.469		0.813				-4	Parks.			
90	0.367	·	0.687		g. 6				£	, ,	
escr.	Filler		Retainer		14 g		1				
1	.418		- 800			-					
2	.418		800		19 c 36.1	- Adia	Ÿ	ļ			
3	.420		. 800				(<u> </u>	 			
4	.420		.805		(水) (水)		<u> </u>	 			1
5,	.418		. 300	1			<u> </u>	 		 	
6	. 418		· 800		100		ž		 		-
7	.420		.805	1			٧	 			
8	-420		-800		7 1						
9	.418		- 800		***				<u> </u>	 	
10										<u> </u>	-
11								ļ	^	<u> </u>	+
12						تها				ļ	-
13						(03/1/2)	;			<u> </u>	
14						e 💥	9	ļ		<u> </u>	
15			·				3		<u> </u>		
16						7 1	7			<u> </u>	
17				3.	7 9					ļ	
18				i i		umakket d the Met					
19	-				**	(***		,			<u> </u>
20					्रं ६औ		, mg.				
	<u> </u>	<u> </u>	<u> </u>	Other O	servations	(If Requi	red)			<u> </u>	
	Pen	uired	Tolerance	Actual	国 25 3		Re	quired	Toleran	ce Åc	tual
Jurom	eter 50		+/- 5	50		Visual	. ✓	,	N/A	sce	
Color	Blac		N/A	Sce		Markin	g N/	A	N/A		
			<u> </u>		A A	72	ě.				
inspec	tion Note	:3i	<u></u>			3.6					
	<u>.</u>				1.	: T.	į.	 			
				· · · · · · · · · · · · · · · · · · ·	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<i>V</i> -1	}		<u></u>		
		·	12	Ob. 6	1	2	<u> </u>	ty. Rejec	ted	Ø	· · · · · · · · · · · · · · · · · · ·
No. of	Observat	ions	12	Qty. Approv		<u> </u>		-1. 1.0100			
						ř			- T -	109	